

CS143

Entity-Relationship Model

Professor Junghoo “John” Cho

Entity-Relationship (E/R) Model

- Q: How should we design tables in our database?
 - Tables are not “given”
 - “Good” tables may not be easy to come up with
- E/R model: graphical, intuitive and “informal” representation of information on database
 - Used to “capture” what we learn from domain experts/database users
 - Not directly implemented by DBMS
 - Tools exist to automatically convert E/R model into tables
- Two main components
 - Entity sets and relationship sets

Entity Set

- Entity: “thing” or “object” in real world
 - E.g., I, this book, UCLA
- Entity set: a set of entities (objects). Like a class in OOP
 - Rectangle in ER
 - Consists of “name” and “attributes”

Students
sid
name
addr
age
GPA

Classes
dept
cnum
sec
title
unit

Faculty
name
title
office
email

Entity Set

- Entities with attributes can be thought as “tuples” (or records)
 - (301, John, 13 Hilgard, 18, 3.3), (303, James, 12 De Neve, 19, 2.5), ...
- Key: a set of attributes that uniquely identifies an entity in an entity set
 - Underline in E/R
 - **All entity sets** in E/R need a key


Students
<u>sid</u>
name
addr
age
GPA

Classes
<u>dept</u>
<u>cnum</u>
<u>sec</u>
title
unit

Faculty
<u>name</u>
title
office
email

Relationship Set

- Relationship: “connection” between entities
- Relationship set: a set of relationships of the same kind
 - Diamond in ER
 - Relationships can be thought as “edges” between entities
- ~~Relationships can have attributes~~
- ~~Not all entities have to participate in a relationship~~




(301, CS, 143.1, A)


Cardinality of Relationships

- Cardinality: how many times entities participate in a relationship?


- One-to-one



- One-to-many




- Many-to-many



- Cardinality: Add arrow on the “one” side
- Total participation
 - every entity participates in the relationship **at least once**
 - Double line in E/R model


Meaning of Cardinality

- Q: What does it mean
 - Many-to-one in Teach?
 - One-to-one in Teach?
 - Double-line between Classes and Teach?
 - Double-line and arrow between Teach and Faculty?
 - Double lines at both sides of Teach vs one-to-one of Teach. Are they the same?



General Cardinality Notation


- Label an edge with “a..b”
 - The entity participates in the relationship between a through b times
 - * means unlimited



- Don't get confused: for one-to-many relationship, “0..*” appears on the “one” side and “0..1” appears on the “many” side



N-ary Relationship

- We may need more than binary relationship sometimes
- Example: Students, TA's, and Classes
 - All TA's help all students



(301, CS, 143.1, John)


- Each student is assigned to a particular TA




(301, CS, 143, 1)
(CS, 143, 1, John)
(301, John)

Roles

- We can designate a “role” to each entity set that participate in a relationship set
 - Labels on edges of a relationship in E/R model
 - Useful if an entity set participates more than once in a relationship




Superclass and Subclass



- ISA relationship in E/R connects superclass and subclass
- Notes
 - Specialization: superclass → subclass, generalization: subclass → superclass
 - Subclass inherits all attributes of its superclass
 - Subclass participates in the relationships of its superclass
 - Subclass may participate in its own relationship
 - Disjoint specialization vs overlapping specialization
 - Either-or vs multiple specialization
 - single hollow arrow vs multiple hollow arrows

Weak Entity Set *(sid, project_num)*




- Weak Entity Set: An entity set without a unique key
 - Double rectangle in E/R model
- Part of its key comes from one or more entity sets it is linked to
 - Owner entity set: entity set providing part of the key
 - Identifying relationship: relationship between a weak entity set and owner entity set
 - Double diamond in E/R model
 - Discriminator: attributes in a weak entity set that become part of the key
 - Dashed underline

E/R for Stores and Products

- All products are either “private-label products” (like Kirkland shoes at Costco) or “national-brand products” (like Kleenex Tissue)
- Every product is manufactured by exactly one manufacturer (like 7up by Coke company, etc.)
- Every private-label product is carried by exactly one chain store (eg, Kirkland shoes by Costco)
- Some national-brand products may not be carried by any chain store

E/R for Stores and Products

- All products are either “private-label products” or “national-brand products”
- Every product is manufactured by exactly one manufacturer
- Every private-label product is carried by exactly one chain store
- ~~Some national-brand products~~ may not be carried by any chain store




E/R Design Principles

- Often it is not clear what choices to make
 - One gigantic entity set with many attributes vs many smaller entity sets?
 - Attribute vs Entity set?
- General rule of thumb for good design: avoid redundancy
 - Saying the same thing more than once
 - Space waste and potential inconsistency

E/R Design Example

- Faculty(name, addr) are instructors of Class(dept, cnum, title)



- Things to consider for entity set vs attribute
 - Do we need more attributes than keys?
 - Is it one-to-one relationship?
 - Create multiple entity sets for many-to-many or many-to-one relationships

E/R to Relation

- Converting E/R diagram to tables is mostly straightforward
 - Automatic conversion tools exists
- (Strong) entity set: one table with all attributes


Example Conversion from E/R to Relation

Student(name, addr)

TA(name, addr)

Class(cnum, title)


Faculty(name, addr)



E/R to Relation

- Converting E/R diagram to tables is mostly straightforward
 - Automatic conversion tools exists
- (Strong) entity set: one table with all attributes
- Relationship set: one table with keys from the linked entity sets and its own attributes
 - If attribute names conflict, prefix them with entity set name

Example Conversion from E/R to Relation




- Student(name, addr)
- Class(cnum, title)
- TA(name, addr)
- Faculty(name, addr)

Teach (cnum, name)
 Partner (coder, tester)
 Take (Student, name, TA, cnum, quarter)

E/R to Relation

- Converting E/R diagram to tables is mostly straightforward
 - Automatic conversion tools exists
- (Strong) entity set: one table with all attributes
- Relationship set: one table with keys from the linked entity sets and its own attributes
 - If attribute names conflict, prefix them with entity set name
- Weak entity set: one table with its own attributes and keys from owner entity set
 - No table for identifying relationship set

Example Conversion from E/R to Relation



- Student(name, addr)
- Class(cnum, title)
- TA(name, addr)
- Faculty(name, addr)
- Teach(name, cnum)
- Take(Student.name, cnum, TA.name, quarter)
- Partner(coder, tester)

ProjectReport (name, num, grade)

~~Submit (name, num)~~

Conversion of Subclass(es)

- Two popular approaches

1. One table for each subclass with its own attributes and the key of its superclass

- Student(name, addr)
ForeignStudent(name, country)
HonorStudent(name, fellowship)

2. One gigantic table for the super class that includes all attributes

- Student(name, addr, country, fellowship)
 - NULL values for missing attributes

