

CS143

Relational Model


Professor Junghoo “John” Cho

Data Model

- Q: What is a data model? Why do we need it?
- A:
 - Data model is a way we model/conceptualize/represent data
 - We need a concrete representation to manage data in a computer
 - Many different ways to model data
 - Graph model, tree model, object model, ...


Graph Model (= Network Model)

- Nodes, edges and labels
- Airline flights



Tree model (= Hierarchical Model)

- Nodes, edges, and labels arranged in a tree
- Company hierarchy



Relational Model

- All data is represented as a set of “tables”
- The “most popular” data model used for database systems
- Example: School information
 - Student(sid, name, age, GPA, address, ...)
 - Class(dept, cnum, sec, title, instructor, ...)
 - Enroll(sid, dept, cnum, sec)

Student


sid	name	addr	age	GPA
301	John	183 Westwood	19	2.1
303	Elaine	301 Wilshire	17	3.9
401	James	183 Westwood	17	3.5

Example: JSON (JavaScript Object Notation)

- Syntax to represent objects in JavaScript
 - [{ "x": 3, "y": "Good"}, { "x": 4, "y": "Bad" }]
- One of the most popular data-exchange formats over Internet
 - As JavaScript gained popularity, JSON's popularity grew
 - Simple and easy to learn
 - Others popular formats include XML, CSV, ...

Basic JSON Syntax

- Supports basic data types like numbers and strings, as well as arrays and “objects”
- Double quotes for string: “Best”, “UCLA”, “Worst”, “USC”
- Square brackets for array: [1, 2, 3, “four”, 5]
- Objects: (attribute, name) pairs. Use curly braces
 - { “sid”: 301, “name”: “James Dean” }
- Things can be nested
 - { “sid” : 301,
“name”: { “first”: “James”, “last”: “Dean” },
“classes”: [“CS143”, “CS144”] }



sid	f_name	L_name	classes
301	James	Dean	CS143

Data Model of JSON?

- Q: What is JSON's data model? Tree (hierarchical)? Graph (network)? Relational?

```
{ "sid" : 301,  
  "name": { "first": "James", "last": "Dean" },  
  "classes": [ "CS143", "CS144" ]  
}
```


History of Relational Model

- By far, the most significant invention in the history of DBMS
 - E.F. Codd, 1970
 - Completely revolutionized the field
 - Turing Award, 1981
- Extremely simple
 - Another evidence of the power of a *simple yet widely-applicable* idea in computer science
- Initial research prototypes
 - IBM System R → IBM DB2
 - Berkeley Postgress → PostgreSQL
- IBM and Oracle: first commercial RDBMS vendor. Still dominates the market together with Microsoft

Relational Model: Terminology

sid	name	addr	age	GPA
301	John	183 Westwood	19	2.1
303	Elaine	301 Wilshire	17	3.9
401	James	183 Westwood	17	3.5

- Each relation has a set of attributes (= columns)
- Each relation contains a set of tuples (= rows)
- Each attribute has a domain (= type)
 - Only atomic types
- Data representation is very similar to Excel spreadsheet

Terminology

- Schema: the structure of relations in database
 - Relation name, attribute name, domain (optional)
 - Example: Student(sid, name, addr, age, GPA)

- Instance (= Data)
 - Actual content of relation
 - Schema \cong variable type, Instance \cong value

Terminology

- Keys: A set of attributes that uniquely identifies a tuple in a relation
 - Student(sid, name, address, GPA, age)
 - Course(dept, cnum, sec, unit, instructor, title)
 - Underline key attributes in schema
- Multiple keys are possible
 - Course(dept, cnum, sec, unit, instructor, title)
 - Course(dept, cnum, sec, unit, instructor, title)
- Q: When do we need keys? How can they be used?

Name Scope

- Name of a relation is unique across relations
- Name of an attribute is unique in a table
 - Same attribute name in different tables is OK

Set Semantics

$\{a, a, b\}$ $\{a, b\}$
 $\{b, a\}$

- No duplicate tuples are allowed in relational model
 - Duplicates tuples are allowed in SQL for practical reasons. More on this later
 - Q: Can a relation with no duplicates have no keys?
- Tuple order does not matter
- Attribute order does not matter
 - In SQL, attribute order does matter, but not in pure relational model

Null Value

- Common interpretation
 - Do not know/Do not want to say/Not applicable
- Example
 - Student(id, major, name, GPA) – What GPA value before the first quarter?

Complications from Null

- Student (id, major, name, age, GPA)

sid	name	addr	age	GPA
301	John	183 Westwood	21	2.1
303	James	301 Wilshire	NULL	3.9
401	Susan	183 Westwood	17	3.5

- Q1: students with age ≥ 20 { John, James }
- Q2: students with age < 20 { Susan, James }
- Q3: students with age ≥ 20 or age < 20 { John, Susan, James }

Q4:


AND

- Due to NULL, DBMS may return “unexpected” answers

Null and SQL 3-valued logic

- Every condition is evaluated as True, False or Unknown
- Concrete rules to deal with Null and Unknown values
- Nulls and SQL 3-valued logic adds significant complexity to DBMS implementation and execution

Five Steps in Database Construction



Entity-Relationship
ER model

relational design theory (= normalization theory)

DDL (Data Definition Language)

bulk-load command.

DML (Data Manipulation Language)

Structured Query Language (SQL)

- The standard language for interacting with RDBMS
- Many versions of SQL standard exists
 - SQL89 (Ansi SQL): first standard
 - SQL92 (SQL2): the main standard, several hundred pages
 - SQL3 (SQL99): no vendors supports it all exactly! 1600 pages
 - SQL4(SQL03): bug-fix release
 - ...
- In our lectures, we mostly use SQL92 standard
 - Individual DBMS product may use a slightly different syntax, but will be mostly the same

SQL

- SQL has many components
 - Data Definition Language (DDL): schema definition, constraints, ...
 - Data Manipulation Language (DML): query, modification, ...
 - Transaction, Authorization, ...
- We cover schema definition part in the rest of the today's lecture

Basic SQL Data Types (commonly used subset)

- String
 - Char(n) – padded fixed length
 - Padding character is system dependent (space for Oracle, auto-removed for MySQL)
 - Varchar(n) – variable length
- Number
 - Integer – 32 bit
 - Decimal(5,2) – 999.99
 - Real, Double -- 32bit, 64bit
- Datetime
 - Date – '2010-01-15'
 - Time – '13:50:00'
 - Timestamp – '2010-01-15 13:15:00'
 - On MySQL, Datetime is preferred to Timestamp

char(10)

Varchar(100)

= Numeric(5,2)

SQL Table Creation

- Course(dept, cnum, sec, unit, instructor, title)

SQL Table Creation

- CREATE TABLE statement
- One PRIMARY KEY per table
 - UNIQUE for other "keys"
 - PRIMARY KEY and UNIQUE are enforced through index (more on this later)
- No Null for PRIMARY KEY attributes. Null OK for UNIQUE (in SQL92)
 - MySQL automatically adds NOT NULL to PRIMARY KEY attributes
- DEFAULT to set the default value for an attribute
- DROP TABLE statement for "deleting" a table

Bulk Loading Data into Table

- No SQL standard for bulk data loading
- MySQL (and Oracle)
 - `LOAD DATA LOCAL INFILE <data-file> INTO TABLE <table-name>`

load data local infile 'movie.del' into table Movies;

What We Learned

- Data model
- Schema and data instance
- Relational model
 - Relation, attribute, tuple, domain
 - Key
 - Null value
 - Set semantic
- 5 steps for database construction
 - Domain analysis, database design, table creation, load, query & manipulation
- SQL table creation and bulk data loading